

TECHNICAL RIDER ATROX

Channel list

Ch	Source	Mik / DI	Assign	Stand
1	Kickdrum	B52A	Comp 1/Gate 1	Short
2	Snaredrum	SM57		Short
3	Hi-Hat	SM81		Short
4	Tom 1	E 604	Gate 2	Rackmount
5	Tom 2	E 604	Gate 3	Rackmount
6	Tom 3	E 604	Gate 4	Rackmount
7	Tom 4 (floor)	E 604	Gate 5	Rackmount
8	OH L	AKG 451		Tall
9	OH R	AKG 451		Tall
10	Bass	DI	Comp 2	
11	Guitar 1	SM57		Short
12	Guitar 2	SM57		Short
13	Key L	DI		
14	Key R	DI		
15	Main Vox 1	SM86	Comp 3	Tall
16	Main Vox 2	SM86	Comp 4	Tall
17	Vox keys	SM58	Comp 5	Tall
18	Vox bass	SM58	Comp 6	Tall
19	PC	DI		
20	PC	DI		
21	EFX 1L return			
22	EFX 1R return			
23	EFX 2L return			
24	EFX 2R return			

All microphones must have original adapters. All microphones stands must be original stands with booms, 5 short with round foot and 6 tall.

MICROPHONES:

- 4x Shure SM57
- 4x Sennheiser E 604
- 1x Shure B52A
- 2x Shure SM58
- 2x Shure SM86
- 2x AKG 451
- 1x Shure SM 81
- 3x DI-boxes (Atrox will bring 1 stereo DI)

PA SYSTEM

The whole PA system must be setup and tested before Atrox arrives at the venue. The venue must provide Atrox with a technician who knows the house and technical equipment. The venue will also provide Atrox with a lightengineer. Atrox brings their own Soundengineer.

SPEAKER SYSTEM:

The system must be powerful enough to deliver a **loud**, clean undistorted sound with a uniform coverage of the total performance area including balconies or similar seatings. Crossover/Effect-units/Limiters/Compressors/Eq's should be located at FOH mix position, patched and ready for use by the FOH technician supplied by Atrox.

FOH CONSOLE:

The console must have no less than 24 channels and 8 groups + 8 auxiliaries.

FOH OUTBOARD/EFFECTS:

6 compressors, dbx 1066
6 gate, Drawmer DS-201
2 Reverb/Multieffect machines. (TC M2000/3000)
1 Delay effect preferably with TAP.

MONITOR (wedge) SYSTEM:

6 monitor programmes
6 floor monitors (all wedges must be identical and of high quality)

All amps and crossovers used for the monitor system must be identical and of high quality.


BACKLINE:

Atrox brings their own backline
Please provide a drumriser 2x2 meters, 20 cm height.

Any questions regarding this rider, please contact:

Rune Sørsgård
+4798445654
fox.rune@gmail.com

STAGEPLOT ATROX



 = 220 VAC